






Vertical oscillating cooling crystalliser (OVC)



Intake > storage > cleaning > crushing/slicing

Cane diffusion

Beet extraction

Pulp dewatering


Juice purification

Evaporation

Crystallisation

Centrifugation

Sugar drying/cooling Packaging > storage > transportation



Principle of operation

The cooling system of an OVC consists of standardised bundles of cooling tubes, with the cooling water guided countercurrent to the massecuite flow. The whole system oscillates in vertical direction, driven by a hydraulic unit.

- Cooling crystallisers are used for the crystallisation of sugar from low-purity crystal suspensions (C-massecuite); they are economical and produce excellent results.
- By lowering the temperature, the mother liquor is crystallised to extract as much sucrose as possible.
- A special distribution system ensures even massecuite feeding and thus a narrow distribution of retention times.
- The vertical movement of the cooling tubes is designed to permit operation at the optimum non-sugar-to-water ratio and thus when viscosity is high. This has the maximum desugaring effect.
- The integrated control technology monitors and controls the hydraulic system, ensuring a constant temperature gradient and even cooling.

Benefits



Crystal output

Perfect non-sugar-to-water ratio and maximum viscosity.



Caking

Excellent self-cleaning effect of oscillating cooling surfaces.



No formation of fine crystals

Thanks to even cooling or a constant temperature gradient.



Footprint

Requires little floor space because of vertical installation, even outdoors.

OF ADDITIONAL SUGAR TPUT FROM MOLASSES.


Technical data

Cooling surface [m ²]	406-1,100
Volume [m³]	220 to 667
Capacity [t]	up to 1,000
Diameter [mm]	5,200

Reference extract

Customer	Year	Capacity [t/h]	Add. sugar output [%]	ROI [m €/year]
ICPL	2014 - 2015	42	+ 5	1.30
SUJ Refinery	2013 - 2014	10	+ 7	1.40

More information





sales@bma-de.com Sales Automation sales@bma-automation.com Assistance assistance@bma-de.com

